

Prepared for:

RAD EXTRACTS

860 Commercial Lane
Palmer Lake, CO USA 80133

30mg Softgels

Batch ID or Lot Number: 655612-13	Test: Potency	Reported: 27Apr2023	USDA License: N/A
Matrix: Unit	Test ID: T000242296	Started: 26Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 24Apr2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.033	0.082	1.740	3.70	# of Servings = 1, Sample Weight=0.47g
Cannabichromenic Acid (CBCA)	0.031	0.075	ND	ND	
Cannabidiol (CBD)	0.094	0.223	30.380	65.10	
Cannabidiolic Acid (CBDA)	0.097	0.229	ND	ND	
Cannabidivarin (CBDV)	0.022	0.053	0.090	0.20	
Cannabidivarinic Acid (CBDVA)	0.040	0.095	ND	ND	
Cannabigerol (CBG)	0.019	0.047	1.140	2.40	
Cannabigerolic Acid (CBGA)	0.079	0.195	ND	ND	
Cannabinol (CBN)	0.025	0.061	ND	ND	
Cannabinolic Acid (CBNA)	0.054	0.133	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.095	0.233	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.086	0.211	1.140	2.40	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.076	0.187	ND	ND	
Tetrahydrocannabivarin (THCV)	0.017	0.043	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	0.067	0.165	ND	ND	
Total Cannabinoids			34.490	73.80	
Total Potential THC			1.140	2.40	
Total Potential CBD			30.380	65.10	

Final Approval



Karen Winternheimer
27Apr2023
11:17:00 AM MDT

PREPARED BY / DATE



Sam Smith
27Apr2023
01:12:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f087c1e5-8542-41bb-8b0b-9ca1a77176d8>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f087c1e5854241bb8b0b9ca1a77176d8.2