

Prepared for:
Aunt Bonnies

4943 Main Street
Manchester, VT USA 05255


Bath Bomb

Batch ID or Lot Number: AB-BB-00001	Test: Potency	Reported: 29Dec2023	USDA License: N/A
Matrix: Unit	Test ID: T000265660	Started: 28Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Dec2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.237	6.730	<LOQ	<LOQ	# of Servings = 1, Sample Weight=119.551g
Cannabichromenic Acid (CBCA)	2.046	6.156	ND	ND	
Cannabidiol (CBD)	6.495	17.249	49.310	0.40	
Cannabidiolic Acid (CBDA)	6.662	17.692	ND	ND	
Cannabidivarin (CBDV)	1.536	4.080	ND	ND	
Cannabidivarinic Acid (CBDVA)	2.779	7.380	ND	ND	
Cannabigerol (CBG)	1.270	3.821	ND	ND	
Cannabigerolic Acid (CBGA)	5.310	15.975	ND	ND	
Cannabinol (CBN)	1.657	4.985	ND	ND	
Cannabinolic Acid (CBNA)	3.623	10.899	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	6.326	19.031	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	5.745	17.284	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	5.090	15.314	ND	ND	
Tetrahydrocannabivarin (THCV)	1.155	3.476	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	4.490	13.507	ND	ND	
Total Cannabinoids			49.310	0.40	
Total Potential THC			ND	ND	
Total Potential CBD			49.310	0.40	

Final Approval



Karen Winternheimer
29Dec2023
11:42:00 AM MST

PREPARED BY / DATE



Sam Smith
29Dec2023
11:43:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/44621c1d-ab5a-4b3e-8190-f3f1b8baf0d3>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
44621c1dab5a4b3e8190f3f1b8baf0d3.1