

Prepared for:
Aunt Bonnie's

4943 Main Street
Manchester, VT USA 05255

Hemp Rolls

Batch ID or Lot Number: AR-00001	Test: Potency	Reported: 17Jan2024	USDA License: N/A
Matrix: Plant	Test ID: T000267329	Started: 17Jan2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 16Jan2024	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.013	0.033	0.170	1.70	
Cannabichromenic Acid (CBCA)	0.011	0.030	0.930	9.30	
Cannabidiol (CBD)	0.040	0.094	1.860	18.60	
Cannabidiolic Acid (CBDA)	0.041	0.096	15.340	153.40	
Cannabidivarin (CBDV)	0.010	0.022	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.017	0.040	0.120	1.20	
Cannabigerol (CBG)	0.007	0.019	0.110	1.10	
Cannabigerolic Acid (CBGA)	0.030	0.077	0.570	5.70	
Cannabinol (CBN)	0.009	0.024	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.020	0.053	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.035	0.092	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.032	0.084	0.380	3.80	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.028	0.074	1.100	11.00	
Tetrahydrocannabivarin (THCV)	0.006	0.017	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.025	0.065	ND	ND	
Total Cannabinoids			20.580	205.80	
Total Potential THC			1.345	13.45	
Total Potential CBD			15.313	153.13	

Final Approval



Karen Winternheimer
17Jan2024
01:30:00 PM MST

PREPARED BY / DATE



Sam Smith
17Jan2024
01:32:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/458e36db-5fd3-406a-a627-c056b5268f81>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
458e36db5fd3406aa627c056b5268f81.1